

Safety Data Sheet

1. Identification of Substance & Company

Product

Product name Glass Cleaner
Product code ALGC
HSNO approval HSR002530

 Approval description
 Cleaning Products Subsidiary Hazard Group Standard 2020

UN number NA
DG class NA
Proper Shipping Name NA
Packaging group NA
Hazchem code NA

Uses Liquid Glass Cleaner

Company Details

Company Distributed by: Allied Petroleum **Address** PO Box 3120, Christchurch 8444

0800 383 566

Telephone Website www.alliedpetroleum.co.nz Manufactured by Fargo Group

Emergency Telephone Number (24 hour) 0800 764 766

2. Hazard Identification

Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002530, Cleaning Products Subsidiary Hazard Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

GHS 7 Classes

Hazard Statements

Eye irrit cat 2 H319 - Causes serious eye irritation.

Reproductive toxicity cat 2 H361 - Suspected of damaging fertility or the unborn child.

SYMBOLS

WARNING



Other Classifications

There are no other classifications that are known to apply.

Precautionary Statements

Prevention P103 - Read label before use.

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection.

Response P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention. P308+P313 - IF exposed or concerned: Get medical advice/ attention.

Storage P405 - Store locked up.

Disposal P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.



Safety Data Sheet

Composition / Information on Ingredients

Component	CAS/ Identification	Concentration
Ethanol	64-17-5	1-10%
Methanol	67-56-1	<0.2%
2-Butoxyethanol	111-76-2	1-10%
Ingredients not contributing to GHS classes	mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities

Ready access to running water is required. Accessible eyewash is required.

Exposure

Inhaled

Swallowed IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse

mouth. Do NOT induce vomiting. Give a glass of water to drink.

Eve contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact This product is non-irritating to skin. No further measures should be required.

Generally, inhalation of vapours/spray is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

Advice to Doctor

Treat symptomatically

Firefighting Measures

Fire and explosion hazards: Suitable extinguishing

substances: Unsuitable extinguishing

substances:

Products of combustion:

There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

alcohol resistant foam.

Unknown.

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

Protective equipment: Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Hazchem code: NA

Accidental Release Measures

Containment

Emergency procedures

In all cases design storage to prevent discharge to storm water.

In the event of spillage alert the fire brigade to location and give brief description of hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers,

or water courses. (If this occurs contact your regional council immediately).

Use absorbent (soil, sand or other inert material). Rags are not recommended for the Clean-up method clean-up of spills, as they may create fire or environmental hazard. Collect and seal in

properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

Mop up and collect recoverable material into labelled containers for recycling or salvage. Disposal

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.



Safety Data Sheet

Precautions

Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.

7. Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

 NZ Workplace
 Ingredient
 WES-TWA
 WES-STEL

 Exposure Stds
 Ethanol (oto)
 200ppm, 380mg/m³
 800ppm, 1520mg/m³

 Methanol (skin, bio)
 200ppm, 262mg/m³
 250ppm, 328mg/m³

 2-butoxyethanol
 25ppm, 121mg/m³ (skin)
 data unavailable

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

General

Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate.

Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.

Eyes



Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

Skin

Respiratory

Protective gloves and clothing are not normally necessary. However, it is prudent to wear gloves when handling chemicals in bulk or for an extended period of time. Respirator is not required under normal use. Ensure adequate natural ventilation. If product is being used in confined conditions, the use of a mask or respirator may be preferred.

WES Additional Information

Not applicable





9. Physical & Chemical Properties

Appearance Blue Liquid
Odour Light solvent odour

Odour Chreshold Light solvent odour no data

no data рΗ 8.5 Freezing/melting point no data **Boiling Point** no data **Flashpoint** no data **Flammability** no data Upper & lower flammable limits no data Vapour pressure no data Vapour density no data Specific gravity/density no data

Solubility soluble in water

Partition coefficientno dataAuto-ignition temperatureno dataDecomposition temperatureno dataViscosityno dataParticle Characteristicsno data

10. Stability & Reactivity

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames.

Incompatible groupsStrong oxidisers, strong acids and bases

None known

Oxides of carbon

Substance Specific

Incompatibility

Hazardous decomposition

products

Hazardous reactions

eactions None known

11. Toxicological Information

Summary

IF IN EYES: direct contact may cause eye irritation.

IF ON SKIN: may cause mild skin irritation.

CHRONIC TOXICITY: Animal studies have shown that exposure to methanol may affect offspring, e.g. increased fetal deaths, reduced fetal weight and fetal malformations.

Supporting Data

Eye

Acute Oral Using LD50's for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is >2,000 mg/kg. Data considered includes: ethanol 7060mg/kg (rat), methanol LD50 (oral): 870mg/kg (mouse), 5628mg/kg (rat), 300mg/kg (human), 2-butoxyethanol 1414mg/kg

(guinea pig).

Dermal Using LD₅₀'s for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture

is >2,000 mg/kg. Data considered includes: methanol LD₅₀ (dermal): 15800mg/kg (rabbit), 393 mg/kg bw (primates), , 2-butoxyethanol >2000mg/kg (guinea pig).

Inhaled Using LD₅₀'s for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the

mixture is >5mg/L/4h. Data considered includes: 2-butoxyethanol 2.174 mg/L (rat, mist). The mixture is considered to be an eye irritant, because some of the ingredients

(ethanos, 2-butoxyethanol) present are considered eye irritants in more concentrated

form.

Skin The mixture is not considered to be a skin irritant.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

Mutagenicity
No ingredient present at concentrations > 0.1% is considered a mutagen.

Carcinogenicity
No ingredient present at concentrations > 0.1% is considered a carcinogen.

Reproductive / The mixture is considered to be a suspected reproductive or developmental toxicant, **Developmental** because at least one of the ingredients (methanol) present in greater than 0.1% is

suspected to be a reproductive or developmental toxicant. Animal studies have shown that exposure to methanol may affect offspring, e.g. increased fetal deaths, reduced fetal

weight and fetal malformations.



Safety Data Sheet

Systemic Aggravation of existing conditions No ingredient present at concentrations > 1% is considered a target organ toxicant.

None known.

12. Ecological Data

Summary

This mixture is not considered ecotoxic. In all cases prevent run-off to drains, sewers and waterways.

Supporting Data

Aquatic Using EC₅₀'s for ingredients, the estimated EC₅₀ for the mixture is > 100 mg/L.

Bioaccumulation No data **Degradability** No data

Soil No evidence of soil toxicity.

Terrestrial vertebrate See acute toxicity.

Terrestrial invertebrate No evidence of toxicity towards terrestrian invertebrates.

Biocidal no data

13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal method Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007 There are no specific restrictions for this product (not a dangerous good).

UN number: NA Proper shipping name: NA
Class(es) NA Packing group: NA
Precautions: NA Hazchem code: NA

IMDG

UN number: NA Proper shipping name: Not regulated

Class(es) NA Packing group: NA Precautions: NA EmS NA

IATA

UN number: NA Proper shipping name: Not regulated

Class(es) NA Packing group: NA Precautions: NA ERG Guide NA



Safety Data Sheet

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002530, Cleaning Products Subsidiary Hazard Group Standard 2020. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

Specific Controls

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Not required. Certified handler Not required. Tracking Not required. Bunding & secondary containment Not required. Not required. Signage Location compliance certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations

Approval Code Approval HSR002530, Cleaning Products Subsidiary Hazard Group Standard 2020

Controls, EPA. www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

EC₅₀ Ecotoxic Concentration 50% − concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

GHS Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised

edition, 2017, published by the United Nations.

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer

LEL Lower Explosive Limit

LD₅₀ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

STOT RESystem Target Organ Toxicity – Repeated Exposure
STOT SE
System Target Organ Toxicity – Single Exposure

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UEL Upper Explosive Limit
UN Number United Nations Number



Glass Cleaner Safety Data Sheet

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site – www.worksafe.govt.nz.

Other References: Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

Review

Date Reason for review September 2025 Not applicable – new SDS

New address, new logo, HSNO to GHS 7

Disclaimer

This SDS is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological).