# Mag Magic Wheel Cleaner





### 1. Identification of Substance & Company

**Product** 

Mag Magic Wheel Cleaner **Product name** 

ALMM **Product code** HSR002530 **HSNO** approval

**Approval description** Cleaning Product (Subsidiary Hazard) Group Standard 2020

**UN** number **DG** class NA **Proper Shipping Name** NA **Packaging group** NA Hazchem code NA

Mag & Wheel Cleaner Uses

**Company Details** 

Company

Distributed by: Allied Petroleum **Address** PO Box 3120, Christchurch 8444

0800 383 566

www.alliedpetroleum.co.nz **Telephone** Manufactured by Fargo Group Website

**Emergency Telephone Number (24 hour) 0800 764 766** 

### 2. Hazard Identification

### **Approval**

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002530, Cleaning Product (Subsidiary Hazard) Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

### **GHS 7 Classes** Hazard Statements

Eye irritation category 2 H319 - Causes serious eye irritation. Skin sensitization category 1 H317 - May cause an allergic skin reaction.

### **SYMBOLS**

### WARNING



### **Other Classifications**

There are no other classifications that are known to apply.

### **Precautionary Statements**

Prevention P102 - Keep out of reach of children.

P103 - Read label before use. P261 - Avoid breathing vapours.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection.

# **Allied**Petroleum

## Mag Magic Wheel Cleaner

Safety Data Sheet

**Response** P101 - If medical advice is needed, have product container or label at hand.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

Storage No storage statements

**Disposal** P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

### 3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Sodium thioglycolate	367-51-1	5-10%
Surfactants	68585-34-2	1-15%
ingredients not contributing to HSNO classes	mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

### 4. First Aid

### **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

facilities

Ready access to running water is required. Accessible eyewash is required.

**Exposure** 

Swallowed IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse

mouth. Do NOT induce vomiting. Give a glass of water to drink.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/ attention. Take off contaminated clothing and wash before re-use.

**Inhaled**Generally, inhalation of vapours is unlikely to result in adverse health effects. If

coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

### **Advice to Doctor**

Treat symptomatically

### 5. Firefighting Measures

Fire and explosion hazards: Suitable extinguishing

substances:

There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

alcohol resistant foam. Unknown.

Unsuitable extinguishing

substances:

Products of combustion:

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

**Protective equipment:** No special measures are required.

Hazchem code: NA

# **Allied**Petroleum

## Mag Magic Wheel Cleaner

**Safety Data Sheet** 

### 6. Accidental Release Measures

**Containment** In all cases design storage to prevent discharge to storm water.

**Emergency procedures** In the event of spillage alert the fire brigade to location and give brief description of

hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this

occurs contact your regional council immediately).

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

### 7. Storage & Handling

**Storage** Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

**Handling** Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.

### 8. Exposure Controls / Personal Protective Equipment

### **Workplace Exposure Standards**

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ WorkplaceIngredientWES-TWAWES-STELExposure Stds2-Butoxyethanol25ppm, 121mg/m³ (skin)data unavailable

### **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

### **Personal Protective Equipment**

**Eyes** 



Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

**Skin** Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious

gloves. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with

AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water

prior to eating, drinking or smoking. Wash hands after handling.

**Respiratory** Respirator is not required under normal use. Ensure adequate natural ventilation. If

product is being used in confined conditions, the use of a mask or respirator may be

preferred.

# Mag Magic Wheel Cleaner Safety Data Sheet



**WES Additional Information** 

Not applicable

### 9. Physical & Chemical Properties

colourless liquid **Appearance** fragrant Odour **Odour Threshold** no data no data Freezing/melting point no data **Boiling Point** no data **Flashpoint** no data **Flammability** no data Upper & lower flammable limits no data Vapour pressure no data Vapour density no data Specific gravity/density 1.05

**Solubility** soluble in water

Partition coefficient no data
Auto-ignition temperature no data
Decomposition temperature no data
Viscosity no data
Particle Characteristics no data

### 10. Stability & Reactivity

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames.

Oxides of carbon

**Incompatible groups** Strong oxidisers, strong acids.

Substance Specific none known

Incompatibility

Hazardous decomposition

products

Hazardous reactions none known

### 11. Toxicological Information

### Summary

IF SWALLOWED: may be harmful.

IF IN EYES: may cause serious eye irritation.

IF ON SKIN: may cause mild skin irritation. Sensitised individual may experience an allergic skin reaction (Sodium thioglycolate).

### **Supporting Data**

Acute Oral Using LD50's for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is between 2000 and 5,000 mg/kg. Data considered includes: Sodium thioglycolate 504mg/kg (mouse), Surfactant 1000mg/kg (rat), 2-Butoxyethanol 1414mg/kg (guinea Using LD50's for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture Dermal is >5000 mg/kg. Data considered includes: 2-Butoxyethanol >2000mg/kg (guinea pig). Inhaled Using LD<sub>50</sub>'s for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the mixture is >5mg/L/4h. Data considered includes: 2-Butoxyethanol 2.174 mg/L (rat, mist). The mixture is considered to be an eye irritant, because some of the ingredients Eye (surfactants) present are considered eye irritants in more concentrated form. Skin The mixture is considered to be a skin irritant, because some of the ingredients

(surfactants) present are considered skin irritants in more concentrated form.

Page 4 of 7

# Petroleum

## Mag Magic Wheel Cleaner

Safety Data Sheet

Sensitisation Chronic

**/**Illied

The mixture is considered to be a contact sensitizer, because at least one of the ingredients (Sodium thioglycolate) present in greater than 0.1% is known to be a contact

sensitizer.

Mutagenicity Carcinogenicity Reproductive / Developmental **Systemic** Aggravation of existing conditions No ingredient present at concentrations > 0.1% is considered a mutagen. No ingredient present at concentrations > 0.1% is considered a carcinogen. No ingredient present at concentrations > 0.1% is considered a reproductive or

developmental toxicant or have any effects on or via lactation.

No ingredient present at concentrations > 1% is considered a target organ toxicant.

None known.

### 12. Ecological Data

### Summary

This mixture is not considered ecotoxic. In all cases prevent discharge to drains, sewers and waterways.

### **Supporting Data**

Using EC $_{50}$ 's for ingredients, the calculated EC $_{50}$  for the mixture is > 100 mg/L. Data Aquatic

considered includes: surfactant 3.43mg/L (48hr, Ceriodaphnia dubia, water flea).

**Bioaccumulation** No data Degradability No data

Soil No evidence of soil toxicity.

Terrestrial vertebrate This mixture is not considered ecotoxic towards terrestrial vertebrates.

Terrestrial invertebrate No evidence of ecotoxicity towards terrestrial invertebrates.

**Biocidal** 

**Environmental effect levels** No EELs are available for this mixture or ingredients

### 13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal method Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

### 14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

**UN number:** Proper shipping name: NA NA Class(es) Packing group: NA NA **Precautions:** NA Hazchem code: NA

**IMDG** 

**UN number:** NA Proper shipping name: Not regulated

Class(es) NA Packing group: NA Precautions: NA **EmS** NA

IATA

**UN number:** NA Proper shipping name: Not regulated

Class(es) NA Packing group: NA **ERG Guide Precautions:** NA NA

## Mag Magic Wheel Cleaner





### 15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002530, Cleaning Product (Subsidiary Hazard) Group Standard 2020. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

### **Specific Controls**

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Not required. Certified handler Not required. Tracking Not required. Bunding & secondary containment Not required. Not required. Signage Location compliance certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

#### Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

### 16. Other Information

### **Abbreviations**

Approval Code Approval HSR002530, Cleaning Product (Subsidiary Hazard) Group Standard 2020

Controls, EPA. www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

ECotoxic Concentration 50% – concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

**EPA** Environmental Protection Authority (New Zealand)

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer
LEL/UEL Lower Explosive Limit/ Upper Explosive Limit

**LD**<sub>50</sub> Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

**UN Number** United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.



# Mag Magic Wheel Cleaner Safety Data Sheet

References

Data

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site – www.worksafe.govt.nz.

Other References: Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

Review

Date Reason for review
September 2025 Not applicable – new SDS

### Disclaimer

This SDS is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological).